


## EXHAUST FAN




**Jasmart**



BPT10-42C Piping Style  
White



BPT10-42D Piping Style  
White



BPT10-42E Piping Style  
White/with Lights



# BPT Series

## PIPELINE STYLE EXHAUST FAN

Model	AC Volt/Hz	Power	Noise	Air Volume	Exit Diameter	Size of faceplate	Install Size	Packing	20'	40'
BPT10-42C	220~240V 50HZ	25W	≤42dB(A)	>2.5CBM	98mm	270×270mm	230×230mm	1pcs/box,5pcs/ctn 65×53×33cm	1325Pcs	2700Pcs
BPT10-42D	220~240V 50HZ	25W	≤42dB(A)	>2.5CBM	98mm	270×270mm	230×230mm	1pcs/box,5pcs/ctn 65×53×33cm	1325Pcs	2700Pcs
BPT10-42E	220~240V 50HZ	25W	≤42dB(A)	>2.5CBM	98mm	270×270mm	230×230mm	1pcs/box,5pcs/ctn 65×53×33cm	1325Pcs	2700Pcs





EE200 Gold



EE200 Silver



EE200 White



EE250 Gold




EE250 Silver



EE250 White

## EE Series EXHAUST FAN

- Ceiling mounted
- Quiet & efficient operation
- Motor is fitted with temperature overload protector for safety
- Removable front grille
- Ball Bearing motor is available



Model	AC Volt/Hz	Power	Air Deliver	Noise	X	Y	Qty.	Measurements	20'	40'
EE200	240V 50HZ	26W	10m <sup>3</sup> /min	≤53dB(A)	Φ236	101	6Pcs	63.5×40×32.5mm	2040Pcs	4230Pcs
EE250	240V 50HZ	30W	12m <sup>3</sup> /min	≤53dB(A)	Φ290	101	6Pcs	74×40×37.5mm	1530Pcs	3150Pcs

ISO9001:2000



## PIPELINE STYLE EXHAUST FAN

**Jasmart**